REFERENCES

1. Angaran D. M. (1991), Quality assurance to quality improvement: measuring and monitoring pharmaceutical care. Am J Health Sys Pharma, 48(9): 1901-907.
2. Anant P Hardas, (2012), Glimpse of pharmacy profession in India, Journal of drug delivery & therapeutics; 2(2):4-7.
3. ASHP guidelines. Minimum standards for pharmacies in the hospitals; April 13, (2012).
4. Christensen DB, Penna PM, (2009), Quality assessment and quality assurance of pharmacy services. JMCP; 1(1): p. 40-51.
5. Dargahi H, Khosravi SH., (2000), Hospital pharmacy quality assurance system assessment in Tehran university of medical sciences. Iran. Indian J Publ Health,; 39(4):102-13.
6. Fahimin F, Abbasi NM, Abrishami R, Sistanizad M, Mazidi T, (2009), Transcription errors observed in a teaching hospital. Arch Iran Med; 12(2): 173-75.
7. Fraile Gallart MJ, Lacasa Diaz C, Santo Font MM, Martinez Cutillas J, Roure N, (1998), Quality assurance program in the pharmacy service of Hospital de Barcelona. *Spain Farmacia Hospital Aria*; 22(6): 271-28.
8. Frontini R, Miharija- Gala T, Sykora J, (2012), EAHP survey 2010 on hospital pharmacy in Europe: Part 1. General frame and staffing. EJHP; 19: 385-387.
9. Frontini R, Miharija- Gala T, Sykora J, (2012), EAHP survey 2010 on hospital pharmacy in Europe: Part 2. Procurement and distribution. EJHP 2012; 19: 460- 63.
10. Gandhi TK, Sager DL, Bates DW, (2000), Identifying drug safety issues: from research to practice. Int J Qual Health Care; 12(1): 69-76.
11. Good Pharmacy Practice Guidelines, (2002), Guidelines for delivery of Pharmaceutical Services and Care in Community Pharmacy Settings in India. Developed by: The Indian Pharmaceutical Association; March 2002.
12. Greech Louise et.al, (2013), Evaluation of impact of a pharmaceutical care service offered to Rheumatoid arthritis patients within an ambulatory setting, volume1, issue 7; 78-86.
13. Harkishan Singh, (2002), History of pharmacy practice in India. 1st ed. Vallabhaprakashan;. p.1-154.
14. Ivanovska V, (2011), Pharmacy practice in the republic of Macedonia. Southern Med Review; 4 (2): 41- 44.
15. Joint FIP/WHO Guidelines on Good Pharmacy Practice, (2010), Standards for Quality of Pharmacy Services; September 2010.
16. K.G. Revi Kumar, B.D. Miglani. (2009), A text book of Pharmacy Practice: Hopitals and Hospital pharmacy. Career Publications;. P. 15-103.

17. Malene Plejdrup Hansen et.al, (2010), Quality indicators for diagnosis and treatment of respiratory tract infections in genera practice: A modified Delphi study: Scandinavian Journal of Primary Health care, 28: 4-11.

18. Marion Albouy-Llaty et.al, (2012), Improving perinatal group B Streptococus screening with process indicators, Journal of evaluation in clinical practice; vol 18;727-733.

19. Maxwell O Adibe et.al, (2013), The impact of pharmaceutical care intervention on the quality of life of Nigerian patients receiving treatment for type 2 Diabetes mellitus, international society for pharmacoeconomics and outcome research, issue 2;240-247.

20. Mittman N, Knowles S, (2009), A survey of pharmacy and therapeutic committee across Canada: scope and responsibilities. Canadian Journal of Clinical Pharmacology; 16(1): 156-62.

21. Nancy Winslade et.al, (2011), Monitoring community pharmacists quality of care: A feasibility study of using pharmacy claims data to assess performance, BMC Health services research; 11:12, 1-8.

22. National Good Pharmacy Practice Guidelines, (2005), Developed By Nepal Pharmacy Council; November 2005.

23. Omrana H, Nassiri S, Belouadha Z F, Roudies O, (2012), Design for distributed Moroccan hospital pharmacy information environment with service oriented architecture. JDI; 1 (1).

24. Pedersen CA, Schinder PJ, Schekelhoff DJ, (2009), ASHP national survey of pharmacy practice in hospital settings. Am J Health Syst Pharma; 66(10): 926- 46.

25. P. C Dandiya and Mukul Mathur, (2002). A text book of hospital and clinical pharmacy: Hospital pharmacy an introduction. 3rd ed. vallabhaprakashan;. p. 15- 23.

26. Rosa MB, Perini E, Anaclent TA, Neiva HM, Bogutchi T, (2009), Errors in hospital of prescription of high- alert medication. RW SaudePublica;, 43(3), 490-98.

27. Sakthong P, (2007), Comparative analysis of pharmaceutical care and traditional dispensing role of pharmacy. Thai J. Pharm. Sci. 31; 100-04.

28. Services Developed by International Pharmaceutical Federation; September 1997.

29. Sewell GJ, (1995), Practical guides II: hospital pharmacy quality control services. Journal of Clinical Pharmacy and Therapeutics; 20: 149- 57.

30. Sreelalitha N, Vigneswaran E, Narayana G, Reddy YP, Reddy MR, (2012), Review of pharmaceutical care services provided by the pharmacists. IRJP; 3(4): 78-79.

31. Steve S Rough et.al, (2010), Effective use of workload and productivity monitoring tool in health system Pharmacy, part 2, Am J Health-syst Pharm; vol 67:380-388.

32. Subish Palaian et.al, (2011), Health professionals knowledge, attitude and practices towards Pharmacovigilance in Nepal, vol 9(4):228-235.

33. Taha O Mahwi and Kawa A Obied, (2013), Role of the pharmaceutical care in the management of patients with type 2 Diabetes mellitus, international journal of pharmaceutical sciences and research; vol 4(4); 1363-1369.

34. The Pharmacy Guild of Australia together with the Pharmaceutical Society of Australia; 1997.

35. William E. Hasssan, (1974), Hospital Pharmacy: Pharmacy- its organization and structure. Lea & Febig; p. 49- 73.

36. Wong IC, Wong LY, Crawnswick NE, (2009), Minimising medication errors in children. Arch Dis Child; 94(2): 161- 64.